

EXPLANATIONS  
ALL MEASURES ARE IN MILLIMETERS.

NOTES  
THE SLIDING WINDOW SHALL BE TYPE NJORD THERMO, SVALSON AB SWEDEN (+46 911 66725).

CONSTRUCTION  
MOTOR, TRANSMISSION AND AUTOMATIC LOCKING SHALL BE PLACED WITHIN THE FRAME.

LOCKING  
THE SLIDING WINDOW SHALL BE LOCKED AUTOMATICALLY IN CLOSED POSITION. (LOCKING IN 50 mm INTERVAL IS OPTIONAL.)

FINISH  
THE ALUMINIUMPROFILES SHALL BE SATIN ANODISED. (OR ANY OTHER FINISH, FOR INSTANCE COLOUR COATED OR ANODISED IN OTHER COLOURS.)

GLASS  
DOUBLE GLAZING 4-15-4. (OR FOR INSTANCE 6-12-6 mm.)


OPENINGSPEED  
THE OPENINGSPEED OF THE SLIDING WINDOW IS APPROX. 200 mm/SECOND.

REV	REVISION REFERS TO	DATE	SIGN
-----	--------------------	------	------



SLIDING WINDOW  
TYPE NJORD THERMO

DRAWN/DESIGN	SCALE	VIEW FROM OUTSIDE	VIEW FROM INSIDE
---	1:10		
DATE	DRAWING NUMBER	REV	
DD.MM.YY	NJORD THERMO		





REV	REVISION REFERS TO	DATE	SIGN
-----	--------------------	------	------

  
 SVALSON AB  
 Phone +46 911-66725  
 Telefax +46 911-66680  
<http://www.svalson.com>



SLIDING WINDOW TYPE NJORD THERMO		SCALE	VIEW FROM OUTSIDE
DRAWN/DESIGN	---	1:1	VIEW FROM INSIDE
DATE	DD.MM.YY	DRAWING NUMBER	NJORD THERMO

Box 584  
 S-943 28 Ojebyn  
 SWEDEN



INSIDE

OUTSIDE



REV	REVISION REFERS TO	DATE	SIGN
-----	--------------------	------	------

SVALSON AB  
 Phone +46 911-66725  
 Telefax +46 911-66680  
 http://www.svalson.com

SLIDING WINDOW TYPE NJORD THERMO		SCALE 1:1	VIEW FROM OUTSIDE VIEW FROM INSIDE
DATE DD.MM.YY	DRAWN/DESIGN ---	DRAWING NUMBER NJORD THERMO	REV

Box 584  
 S-943 28 Ojebyn  
 SWEDEN